

## Compatible Fax Boards

for



# FaxGwise

This is a list of Fax Boards that are supported by SKyPRO's Fax-Software FaxGwise. One of SKyPRO's unified communications add-on tools for Novell GroupWise.

More information about the supported Fax Boards and their installation can be found at:

<http://www.blackice.com/forum/viewforum.php?f=3>

For any further questions please contact SKyPRO:

Phone: (408) 419 1980

Email: [faxgwise@skypro.ch](mailto:faxgwise@skypro.ch)

Web: [www.skypro.us.com](http://www.skypro.us.com)

## Brooktrout Technology

<b><u>Board</u></b>	<b><u>Ports</u></b>	<b><u>Type/Interface</u></b>
TR1034 Digital	up to 30 ports	digital; PRI; MVIP
TR1034 Analog	up to 8 ports	analog
TruFax 200 BRI	2 port loop start	analog
TruFax 200	2 port loop start	analog
TR112	2 port	analog

**Dialogic/Gammlink** - Supports any fax board compatible with the Dialogic System Release 5.1.1

<b><u>Board</u></b>	<b><u>Ports</u></b>	<b><u>Type/Interface</u></b>
VFX/40ESC	4 port fax and voice	analog
VFX/40ESC PLUS	4 port fax and voice	analog
VFX/40SC	4 port fax and voice	analog
VFX/PCI	4 port fax and voice	analog
D/41JCT-LS *	up to 4 ports fax and voice	
D/120JCT-LS *	up to 12 ports fax and voice	
D/240JCT-T1 *	up to 24 ports fax and voice	digital
D/300JCT-E1 *	up to 30 ports fax and voice	digital
D/600JCT-1E1 *	up to 30 ports fax and voice	digital
D/600JCT-2E1 *	up to 60 ports fax and voice	digital
GammaLink CP	1	analog
GammaLink CPi	1	analog
GammaLink CPi 100	1	analog
GammaLink CPi 120	1	analog
GammaLink CPi 200	2	analog
GammaLink CPi 200-PCI	2	analog
GammaLink CPi/200 BRI	2 (1 BRI connection/2 fax channels)	digital; BRI ISDN
GammaLink CPi/400	4	digital
GammaLink CPi/400-BRI	4 (2 BRI connections/4 fax channels)	digital; BRI ISDN
GammaLink CPi/400-PCI	4	digital
GammaLink CPi/2400CT-T1	24	digital
GammaLink CPi/2400-1T1-PCI	24	digital
GammaLink CPi/3000-1E1-PCI	30	digital
GammaLink XPi	1	analog
GammaLink CPD	1	analog
GammaLink CPD 220	4 (2 port DID and 2 loop start)	analog
GammaLink CP4/LSI Series II	4	analog
GammaLink MLCP-AEB (CP4/T1)	4	

## Eicon

<u>Board</u>	<u>Ports</u>	<u>Type/Interface</u>
Diva Server PRI/T1-8	8 ports	digital
Diva Server PRI/T1-24	24 ports	digital
Diva Server Analog 4 Port	4 ports	analog
Diva Server Analog 8 Port	8 ports	analog

## Mainpine Ltd (Supports V.34 Faxing)

<u>Board</u>	<u>Ports</u>	<u>Interface</u>
RockForce Duo	2	PCI slot
RockForce Quatro	4	PCI slot
RockForce Octo	8	PCI slot

## Control

<u>Board</u>	<u>Ports</u>	<u>Interface</u>
RocketModem II PCI 4	4	PCI slot
RocketModem II PCI 6	6	PCI slot
RocketModem III PCI 4	4	PCI slot
RocketModem III PCI 8	8	PCI slot

## Perle

<u>Board</u>	<u>Ports</u>	<u>Interface</u>
V.92 PCI-RAS	4	PCI slot
V.92 PCI-RAS	8	PCI slot

## Class 1 Modems

- Any class 1 modems such as Hayes, USRobotics, Multitech, Boca Research, Zoom, ZyXel, Apache, Motorola, and more.

## Class 1.0 Modems (V.34)

- Any class 1.0 modems

## Class 2 Modems

- Any class 2 modems.

## Class 2.0 Modems

- Any class 2.0 modems such as Hayes, USRobotics, Multitech, Boca Research, Zoom, ZyXel, Apache, Motorola, and more.

\* - Check with your Dialogic reseller to ensure that Fax resources are included on your board